

according to Regulation (EC) No 1907/2006

onetime perfect heavy Jumbo (base + catalyst)

Revision date: 10.08.2018

Product code: 10352

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

onetime perfect heavy Jumbo (base + catalyst)

Further trade names

onetime perfect heavy

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Impression material for use in dental technology.

1.3. Details of the supplier of the safety data sheet

Company name:	DETAX GmbH & Co. KG	
Street:	Carl-Zeiss-Strasse	
Place:	D-76275 Ettlingen	
Telephone:	+49 7243/510-0	Telefax: +49 7243/510-100
e-mail:	post@detax.de	
Internet:	www.detax.de	
Responsible Department:	Emergency number:	
	+49 7243/510-0	
	This number is only obtainable durir - 5.00 p.m., Friday 8.00 a.m 4.00	ng office hours (Monday - Thursday 8.00 a.m. p.m.)
1.4. Emergency telephone	+49 7243/510-0	
number:	This number is only obtainable durir	ng office hours (Monday - Thursday 8.00 a.m.
	- 5.00 p.m., Friday 8.00 - 4.00 p.m.)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

EUH210

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

Safety data sheet available on request.

Additional advice on labelling

According to Regulation (EC) 1272/2008, art.1 No. 5 (d) this product as a medical product must not be labelled!

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Contains polydimethylsiloxane with functional groups. + fillers and pigment catalyst: additionally platinum complex compound.

according to Regulation (EC) No 1907/2006

onetime perfect heavy Jumbo (base + catalyst)

Revision date: 10.08.2018

Product code: 10352

Page 2 of 8

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification according to Regula	tion (EC) No. 1272/2008 [0	LP]	
14464-46-1	cristobalite flour			
	238-455-4			
	STOT RE 1; H372			
540-97-6	Dodecaemthylcyclohexasiloxane			< 0,5 %
	208-762-8		01-2119517435-42	
541-02-6	Decamethylcyclopentasiloxane	< 0,5 %		
	208-764-9		01-2119511367-43	
556-67-2	octamethylcyclotetrasiloxane	< 0,5 %		
	209-136-7	014-018-00-1	01-2119529238-36	
	Flam. Liq. 3, Repr. 2, Aquatic Chronic 4; H226 H361f H413			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect).

Do not induce vomiting. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.



according to Regulation (EC) No 1907/2006

onetime perfect heavy Jumbo (base + catalyst)

Revision date: 10.08.2018

Product code: 10352

Page 3 of 8

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Advice on storage compatibility

Do not store with acids, lyes, alcohols, metallic powders and metallic oxides (release of hydrogen is favoured).

Further information on storage conditions

Keep only in the original container in a cool, dry and well-ventilated place, away from foodstuffs.

7.3. Specific end use(s)

Impression material for use in dentistry. For use by trained specialist staff.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: NBR (Nitrile rubber)

DETAX

Safety Data Sheet

according to Regulation (EC) No 1907/2006

onetime perfect heavy Jumbo (base + catalyst) Product code: 10352

Revision date: 10.08.2018

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

Physical state:Paste base: turquoise, catalyst: white bodour:Test methodclour:intermined base: turquoise, catalyst: white bodour:Test methodpH-Value:not determinedinterminedpH-Value:not determinedinterminedChanges in the physical statenot determinedinterminedMelting point:not determinedinto a physical stateinto a physical stateFlammabilityslot0************************************	9.1. Information on basic physical and che	mical properties				
Odour: characteristic pH-Value: not determined pH-Value: not determined Changes in the physical state not determined Metting point: not determined Initial boiling point and boiling range: not determined Flash point: >100°C Flash point: >100°C Flash point: >100°C Solid: not applicable Gas: not applicable Upper explosion limits: not determined Upper explosion limits: not determined Upper explosion limits: not applicable Gas: not applicable Solid: not applicable Gas: not applicable Solid: not applicable Gas: not applicable Solid: not applicable Gas: not applicable Not oxidizing. >100°C Vapour pressure: <10 hPa						
Test method pH-Value: not determined Changes in the physical state not determined Melting point: not determined Initial boiling point and boiling range: not determined Flash point: >100 °C Flash point: >100 °C Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined Upper explosion limits: not determined Jupition temperature: >400 °C Auto-ignition temperature: >400 °C Solid: not applicable Gas: not applicable Solid: not applicable Gas: not applicable Gas: not applicable Solid: not applicable Gas: not applicable Decomposition temperature: >180 °C Vapour pressure: <10 hPa	Colour:	base: turquoise, catalyst: white				
pH-Value: not determined Changes in the physical state Melting point: not determined Initial boiling point and boiling range: not determined Initial boiling point and boiling range: not determined Flash point: >100 °C DIN 51755 Flammability Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined Upper explosion limits: not determined Ignition temperature: >400 °C DIN 51794 Auto-ignition temperature: >180 °C Oxidizing properties Not oxidizing. <10 hPa (at 20 °C) Density (at 20 °C): 1,3 g/cm³ DIN 51757 Water solubility: practically insoluble Solubility in other solvents not determined Partition coefficient: not determined Viscosity / dynamic: 100000 mPa · BROCKFIELD (at 23 °C) Vapour density: not determined Evaporation rate: not determined Evaporation rate: not determined	Odour:	characteristic				
Changes in the physical state not determined Melting point: not determined Initial boiling point and boiling range: not determined Flash point: >100 °C Flash point: >100 °C Flash point: >100 °C Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined Upper explosion limits: not applicable Gas: not applicable Solid: not applicable Gas: not applicable Solid: not applicable Gas: not applicable Gas: not applicable Gas: not applicable Gas: not applicable Oxidizing properties >180 °C Not oxidizing. <10 hPa			Test method			
Metting point:not determinedInitial boiling point and boiling range:not determinedFlash point:>100 °CDIN 51755FlammabilitySolid:not applicableGas:not applicableLower explosion limits:not determinedUpper explosion limits:not determinedIgnition temperature:>400 °CDIN 51794Auto-ignition temperature:>400 °CDIN 51794Solid:not applicableGas:not applicableGas:not applicableGas:not applicableGas:not applicableGas:not applicableDecomposition temperature:>180 °CVapour pressure:<10 hPa	pH-Value:	not determined				
Initial boiling point and boiling range: not determined Flash point: >100 °C DIN 51755 Flammability Solid: not applicable Gas: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined Upper explosion limits: not determined Ignition temperature: >400 °C DIN 51794 Auto-ignition temperature Solid: not applicable Gas: not applicable Solid: not applicable Gas: not applicable Gas: not applicable Gas: not applicable Gas: not applicable Gas: not applicable Solid: not applicable Gas: not appli	Changes in the physical state					
Flash point: >100 °C DIN 51755 Flammability not applicable Gas: Solid: not applicable Interplecable Gas: not applicable Interplecable Lower explosion limits: not determined Interplecable Upper explosion limits: not determined Interplecable Ignition temperature: >400 °C DIN 51754 Solid: not applicable Interplecable Solid: not applicable Interplecable Gas: not applicable Interplecable Solid: not applicable Interplecable Gas: not applicable Interplecable Decomposition temperature: >180 °C Interplecable Vapour pressure: <10 hPa	Melting point:	not determined				
Fiamability Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined Upper explosion limits: not determined Ignition temperature: >400 °C DIN 51794 Auto-ignition temperature >400 °C DIN 51794 Auto-ignition temperature: >400 °C DIN 51794 Oscilaring properties not applicable on applicable Not oxidizing. >180 °C Oxidizing properties Not oxidizing. >180 °C Solubility in temperature Oscilaring properties <10 hPa	Initial boiling point and boiling range:	not determined				
Solid:not applicableGas:not applicableLower explosion limits:not determinedUpper explosion limits:not determinedIgnition temperature:>400 °CAuto-ignition temperature>400 °CSolid:not applicableGas:not applicableDecomposition temperature:>180 °COxidizing properties>180 °CNot oxidizing.>180 °CDensity (at 20 °C):1,3 g/cm³Density (at 20 °C):1,3 g/cm³Density (at 20 °C):1,3 g/cm³Partition coefficient:not determinedPartition coefficient:not determinedVapour density:not determinedVapour density:not determinedPartition coefficient:not determinedVapour density:not determinedVapour density:not determinedFartition coefficient:not determinedPartition coefficient:not determinedVapour density:not determinedFartition coefficient:not determinedVapour density:not determinedEvaporation rate:not determinedPartition coefficient:not determinedSolubility:not determinedSolubility:not determinedSolubility:not determinedPartition coefficient:not determinedSolubility:not determinedSolubility:not determinedSolubility:not determinedSolubility:not determinedSolubility: <td>Flash point:</td> <td>>100 °C</td> <td>DIN 51755</td>	Flash point:	>100 °C	DIN 51755			
Gas:not applicableLower explosion limits:not determinedUpper explosion limits:not determinedIgnition temperature:>400 °CJuto-ignition temperature>400 °CSolid:not applicableGas:not applicableDecomposition temperature:>180 °CDecomposition temperature:>180 °COxidizing propertiesNot oxidizing.Not oxidizing.10 hPa(at 20 °C)1,3 g/cm³Density (at 20 °C):1,3 g/cm³Density (at 20 °C):1,3 g/cm³Partition coefficient:not determinedPartition coefficient:not determinedViscosity / dynamic:1000000 mPa*s(at 23 °C)Not determinedVapour density:not determinedPartition coefficient:not determinedVapour density:not determinedSolup density:not determinedYapour density:not determinedFunction rate:not determinedSolup density:not determinedSolup density:not determinedFunction rate:not determinedSolup density:not de	Flammability					
Lower explosion limits: not determined Upper explosion limits: not determined Ignition temperature: >400 °C DIN 51794 Auto-ignition temperature Solid: not applicable Gas: not applicable Decomposition temperature: >180 °C Oxidizing properties Not oxidizing. Vapour pressure: <10 hPa (at 20 °C) 1,3 g/cm³ DIN 51757 Water solubility: practically insoluble Solubility in other solvents not determined Partition coefficient: not determined Viscosity / dynamic: 1000000 mPa·s BROOKFIELD (at 23 °C) Vapour density: not determined Functional coefficient: not determined Not od determined Not determined 1000000 mPa·s BROOKFIELD (at 23 °C) Vapour density: not determined Function rate: not determined Partition rate: not determined	Solid:	not applicable				
Upper explosion limits:not determinedIgnition temperature:>400 °CDIN 51794Auto-ignition temperaturenot applicableSolid:not applicableGas:not applicableDecomposition temperature:>180 °COxidizing properties>180 °CNot oxidizing.Vapour pressure:<10 hPa	Gas:	not applicable				
Ignition temperature:>400 °CDIN 51794Auto-ignition temperatureot applicablenot applicableGas:not applicable>180 °CDecomposition temperature:>180 °COxidizing properties Not oxidizing.<10 hPa	Lower explosion limits:	not determined				
Auto-ignition temperature Solid: Gas:not applicable not applicableDecomposition temperature:>180 °CDecomposition temperature:>180 °COxidizing properties Not oxidizing.<10 hPa	Upper explosion limits:	not determined				
Solid:not applicableGas:not applicableDecomposition temperature:>180 °COxidizing properties>180 °CNot oxidizing.<10 hPa	Ignition temperature:	>400 °C	DIN 51794			
Gas:not applicableDecomposition temperature:>180 °COxidizing properties>180 °CNot oxidizing.<10 hPa	Auto-ignition temperature					
Decomposition temperature:>180 °COxidizing properties Not oxidizing.<10 hPa	Solid:					
Oxidizing properties Not oxidizing.<10 hPaVapour pressure: (at 20 °C)<10 hPa	Gas:	not applicable				
Not oxidizing. <10 hPa	Decomposition temperature:	>180 °C				
(at 20 °C)Density (at 20 °C):1,3 g/cm³ DIN 51757Water solubility:practically insolubleSolubility in other solvents not determinedPartition coefficient:Not determinedViscosity / dynamic: (at 23 °C)Vapour density:Evaporation rate:92. Other information						
Water solubility:practically insolubleSolubility in other solvents not determinedresolventsPartition coefficient:not determinedViscosity / dynamic: (at 23 °C)1000000 mPa·sBROOKFIELDVapour density:not determinedEvaporation rate:not determined92. Other information		<10 hPa				
Solubility in other solvents not determined not determined Partition coefficient: not determined Viscosity / dynamic: (at 23 °C) 1000000 mPa·s BROOKFIELD Vapour density: not determined Image: Solution rate: Image: Solution rate: Image: Solution rate: 9.2. Other information Image: Solution rate: Image: Solution rate: Image: Solution rate: Image: Solution rate:	Density (at 20 °C):	1,3 g/cm³	DIN 51757			
not determinedPartition coefficient:not determinedViscosity / dynamic: (at 23 °C)1000000 mPa·sBROOKFIELDVapour density:not determinedEvaporation rate:not determined9.2. Other informationVariant of the second of the s	Water solubility:	practically insoluble				
Viscosity / dynamic: (at 23 °C) 1000000 mPa·s BROOKFIELD Vapour density: not determined Evaporation rate: not determined 9.2. Other information Vapour density	-					
(at 23 °C)Vapour density:Evaporation rate:not determined9.2. Other information	Partition coefficient:	not determined				
Evaporation rate: not determined 9.2. Other information		1000000 mPa·s	BROOKFIELD			
9.2. Other information	Vapour density:	not determined				
	Evaporation rate:	not determined				
Solid content: not determined	9.2. Other information					
	Solid content:	not determined				

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

Page 4 of 8



according to Regulation (EC) No 1907/2006

onetime perfect heavy Jumbo (base + catalyst)

Revision date: 10.08.2018

Product code: 10352

Page 5 of 8

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reacts with : Acids, alkalis, alcohols, powdered metals or metal oxides with release of hydrogen.

10.4. Conditions to avoid

Temperatures > 150°C/ 302 °F.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of thermic decomposition hydrogen is released. At a temperature of approx. 150°C/ 302°F a small amount of formaldehyde can be released by oxidative degradation.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

For the product itself no toxicological data are available. In products with a comparable composition, a LD50 (orally, species rat) of > 5000 mg/kg has been found.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
540-97-6	Dodecaemthylcyclohexa	Dodecaemthylcyclohexasiloxane						
	oral	LD50 mg/kg	2000	Rat				
	dermal	LD50 mg/kg	2000	Rat				
541-02-6	Decamethylcyclopentasi	Decamethylcyclopentasiloxane						
	oral	LD50 mg/kg	>24100	Rat	GESTIS			
	dermal	LD50 mg/kg	>2000	Rabbit		OECD 402		
	inhalation (4 h) vapour	LC50	8,67 mg/l	Rat		OECD 403		
556-67-2	octamethylcyclotetrasiloxane							
	oral	LD50 mg/kg	4800	Rat		OECD 401		
	dermal		>2400	Rabbit		OECD 402		
	inhalation (4 h) vapour	-	36 mg/l	Rat	GESTIS	OECD 403		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

onetime perfect heavy Jumbo (base + catalyst)

Revision date: 10.08.2018

Product code: 10352

Page 6 of 8

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Due to physical form (paste) classification with H372 is not appropriate. An inhalation of the product is not possible.

EC regulation 1272/2008 annex 1, section 1.1.1.5: "For the purpose of classification of health hazards (part 3), the route of exposure, information on mechanisms and metabolism studies are useful for determining the relevance of effects in humans. If this information raises doubts as to their relevance in humans, in spite of the indisputable data legitimacy and quality, a lower classification may be justified. When there is scientific evidence that the mechanism or mode of action is not relevant to humans, the substance or mixture should not be classified."

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
556-67-2	octamethylcyclotetrasiloxane			
		3,7%	29	
	Not readily biodegradable (according to OECD criteria)			

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

Dodecamethylcyclohexasiloxane (D6) fulfills the current criteria set forth under Annex XIII of the EU REACH Regulation for very persistent and very bioaccumulative substances (vPvB) and was included in the candidate list of substances of very high concern (SVHC). According to our knowledge of the state of the art, however, D6 cannot be compared with known persistent, bioaccumulative and toxic (PBT) and/or vPvB substances. The interpretation of the available data by the silicone industry reveals that scientific evidence obtained from field tests essentially points out that D6 does not lead to biomagnification in aquatic and terrestrial food chains. In air, D6 is decomposed by naturally occurring processes in the atmosphere. D-residues which do not decompose in this way in the air are not expected to accumulate from the air in water, the soil or living organisms.

Decamethylcyclopentasiloxane (D5) fulfills the current criteria set forth under Annex XIII of the EU REACH Regulation for vPvB substances and was included in the candidate list of SVHCs. According to our knowledge of the state of the art, however, D5 cannot be compared with known PBT and/or vPvB substances. The interpretation of the available data by the silicone industry reveals that scientific evidence obtained from field tests essentially points out that D5 does not lead to biomagnification in aquatic and terrestrial food chains. In air, D5 is decomposed by naturally occurring processes in the atmosphere. D-residues which do not decompose in this way in the air are not expected to accumulate from the air in water, the soil or living organisms.

Octamethylcyclotetrasiloxane (D4) fulfills the current criteria set forth under Annex XIII of the EU REACH Regulation for PBT and vPvB substances and was included in the candidate list of SVHCs. According to our knowledge of the state of the art, however, D4 cannot be compared with known PBT and/or vPvB substances. The interpretation of the available data by the silicone industry reveals that scientific evidence obtained from



according to Regulation (EC) No 1907/2006

onetime perfect heavy Jumbo (base + catalyst)

Revision date: 10.08.2018

Product code: 10352

Page 7 of 8

field tests essentially points out that D4 does not lead to biomagnification in aquatic and terrestrial food chains. In air, D4 is decomposed by naturally occurring processes in the atmosphere. D-residues which do not decompose in this way in the air are not expected to accumulate from the air in water, the soil or living organisms.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.6. Special precautions for user	
No dangerous good in sense of this tran	sport regulation.
14.7. Transport in bulk according to Annex II	of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information



according to Regulation (EC) No 1907/2006

onetime perfect heavy Jumbo (base + catalyst)

Revision date: 10.08.2018

Product code: 10352

Page 8 of 8

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC The mixture contains substances of very high concern (SVHC candidates): Dodecamethylcyclohexasiloxane (D6), CAS no. 540-97-6 Decamethylcyclopentasiloxane (D5), CAS no. 541-02-6 Octamethylcyclotetrasiloxane (D4), CAS no. 556-67-2

National regulatory information

Water contaminating class (D):

1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H372Causes damage to organs (lung) through prolonged or repeated exposure if inhaled.EUH210Safety data sheet available on request.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)